

Message

From: Adams, Frank [frank_adams@golder.com]
Sent: 3/22/2018 7:38:17 PM
To: Sklaney, Christopher [sklaney.christopher@epa.gov]
CC: Glen Schultz (gschultz@wm.com) [gschultz@wm.com]; Mackler, Claire [claire_mackler@golder.com]; Bunyon, Brenda [brenda_bunyon@golder.com]
Subject: RE: Keystone - LMP Upgrade Report

Hi Chris – I wanted to confirm our discussion this morning regarding the Keystone reports:

- The 2017 Annual ELGE Monitoring Report with the routine ELGE monitoring will be submitted in the next day or so. This report will not include the data from samples collected from the new leachate monitoring points and groundwater piezometers in January 2018.
- A second report documenting the installation of the new leachate monitoring points and groundwater piezometers, the laboratory analytical results from the samples collected in January 2018, and proposed modifications to the ELGE performance standards will be submitted in mid-April 2018.

As discussed, we will let you know if we need more time to complete the second report, which you said would not be a problem. You also agreed to share the results of the samples collected by the OGDs from the leachate monitoring points and groundwater piezometers after we submit our report, and that you intend to provide our report to the OGDs as well.

Let me know if you have any questions.

Thanks,

Frank

Frank T. Adams, P.E.
Practice Leader and Associate

200 Century Parkway, Suite C, Mt. Laurel, New Jersey, USA 08054
T: +1 856 793-2005 | D: +1 856 793-2005 x34432 | C: +1 215 570-3205 | golder.com
[LinkedIn](#) | [Facebook](#) | [Twitter](#)



Work Safe, Home Safe

This email transmission is confidential and may contain proprietary information for the exclusive use of the intended recipient. Any use, distribution or copying of this transmission, other than by the intended recipient, is strictly prohibited. If you are not the intended recipient, please notify the sender and delete all copies. Electronic media is susceptible to unauthorized modification, deterioration, and incompatibility. Accordingly, the electronic media version of any work product may not be relied upon.

Golder and the G logo are trademarks of Golder Associates Corporation

Please consider the environment before printing this email.

From: Adams, Frank
Sent: Tuesday, March 13, 2018 2:30 PM
To: 'Sklaney, Christopher' <sklaney.christopher@epa.gov>
Cc: Glen Schultz (gschultz@wm.com) <gschultz@wm.com>; Mackler, Claire <claire_mackler@golder.com>; Bunyon, Brenda <brenda_bunyon@golder.com>
Subject: RE: Keystone - LMP Upgrade Report

Hi Chris – the draft report is currently in internal review and we have a call to discuss review comments later this week. I believe we should be able to provide the final report to you by end of next week. I will let you know in advance if that estimate changes.

Thanks,

Frank

Frank T. Adams, P.E.
Practice Leader and Associate

200 Century Parkway, Suite C, Mt. Laurel, New Jersey, USA 08054
T: +1 856 793-2005 | D: +1 856 793-2005 x34432 | C: +1 215 570-3205 | golder.com
[LinkedIn](#) | [Facebook](#) | [Twitter](#)

Work Safe, Home Safe



This email transmission is confidential and may contain proprietary information for the exclusive use of the intended recipient. Any use, distribution or copying of this transmission, other than by the intended recipient, is strictly prohibited. If you are not the intended recipient, please notify the sender and delete all copies. Electronic media is susceptible to unauthorized modification, deterioration, and incompatibility. Accordingly, the electronic media version of any work product may not be relied upon.

Golder and the G logo are trademarks of Golder Associates Corporation

Please consider the environment before printing this email.

From: Sklaney, Christopher [<mailto:sklaney.christopher@epa.gov>]
Sent: Tuesday, March 13, 2018 8:28 AM
To: Adams, Frank <frank_adams@golder.com>; Glen Schultz (gschultz@wm.com) <gschultz@wm.com>
Subject: Keystone - LMP Upgrade Report

Frank/Glen,

Good morning. I'm checking in to see when you expect to have a final report and results for the LMP/piezometer installations.

Thanks - Chris

Christopher Sklaney
Remedial Project Manager
U.S. EPA Region 3
Office of Superfund Site Remediation
1650 Arch Street (3HS21)
Philadelphia, PA 19103
215-814-3198 | office
215-804-3002 | fax